

Show Case Details

- Overview**
- EHR**
- History**
- Physical**
- Analyze**
- Actions**
- Nurse Notes**
- Exercises**

- Performed
- ⊕ Not required, not inappropriate
- ✖ Missed
- Extraneous
- Duplicate
- ⊗ Inappropriate

**History MCQ**

Time spent: 25 sec ●●●●●  
 Score: 100%

- Correct
- ✖ Missed
- Extraneous

During your interview of the patient, which of the findings did you judge as key?

Yours	Graded	Choice
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Intimate partner violence.
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Abuse screening positive.
<input type="checkbox"/>		Contractions started last night.
<input type="checkbox"/>		Hemorrhoids.
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Abdominal pain 6/10.
<input type="checkbox"/>		Dry skin and itching.
<input type="checkbox"/>		Pain with urination.
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Denies cocaine use.
<input type="checkbox"/>		Alert to self only.
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Contractions started an hour ago.
<input type="checkbox"/>		Tylenol relieves pain.
<input checked="" type="checkbox"/>	<span style="color: green;">●</span>	Back pain 8/10.
<input type="checkbox"/>		Back pain resolved.
<input type="checkbox"/>		Abdominal pain resolved.

**History Notecard**

Report for Derlande Durosier on patient Jennifer Lee



Show Case Details

Overview EHR History **Physical** Analyze Actions Nurse Notes Exercises

- Partially correct
- Incorrect
- ⊗ Inappropriate
- Extraneous
- Duplicate
- ▲ Harmful to patient

Interpretation Score: ✔ Correct — Missed ✘ Incorrect

Score	Order	Physical Assessment	Performance Errors	Interpretation			
				Score	Type	User Value	Case Value
●	1	Vitals: cognitive status		✔	Cognitive Status	A and O x 4	A and O x 4
●	4	Vitals: respiration		✔	Rate	18	20
				✔	Rhythm	regular	regular
				✔	Effort	unlabored	unlabored
●	5	temperature					
●	6	Vitals: SpO <sub>2</sub>					
●	8	Lines: Assess IV site					
●	9	Drains and Dressings: Assess indwelling urinary catheter					
●	10	Skin and Nails: Inspect skin					
●	11	Extremities: Inspect/palpate extremities: Upper					
●	12	Abdomen: Assess fetal heart sounds					
●	13	Genitourinary: Assess genitourinary: Female					
●	3	Vitals: pulse	<ul style="list-style-type: none"> <li>You didn't listen for at least 15 seconds at right carotid, left carotid, right brachial, right radial, right femoral, left femoral, right posterior tibial, right dorsalis pedis, left dorsalis pedis, left posterior tibial, left radial, and left brachial.</li> <li>You did not check radial pulse first on conscious adult patient.</li> </ul>	✘	Rate	89	96
				✔	Rhythm	regular	regular
				✔	Strength	normal	normal
●	7	Heart: auscultate heart	<ul style="list-style-type: none"> <li>You didn't listen for at least one cycle at aortic, pulmonic, Erb's point, tricuspid, and mitral/apex.</li> </ul>	✔	Interpretation	Normal	Normal
○	2	Vitals: blood pressure	<ul style="list-style-type: none"> <li>You pumped the BP cuff too high to null mmHg.</li> </ul>	✘	Systolic/Diastolic	128/82	100/72
				—	Pressure		normal
				—	Interpretation		normotensive

Report for Derlande Durosier on patient Jennifer Lee



Show Case Details

Overview    EHR    History    **Physical**    Analyze    Actions    Nurse Notes    Exercises

Time spent: 21 min 14 sec

Performed: 10 of 13 required  
2 partially correct  
1 incorrect

Accuracy: 4 performance errors

Physical assessment counts here reflect physical assessments performed and certain vitals reviewed.

**Performed**

- Performed
- Not required, not inappropriate
- Partially correct
- Extraneous
- Incorrect
- Duplicate
- Inappropriate
- Harmful to patient

**Not performed**

- Missed

**Physical Assessments MCQ**

Time spent: 1 min 14 sec

Score: 100%

- Correct
- Missed
- Extraneous

During your physical assessment of the patient, which of the findings did you judge as key?

Yours	Graded	Choice
<input type="checkbox"/>		Hypertensive.
<input checked="" type="checkbox"/>		Abrasion and redness to the abdomen.
<input type="checkbox"/>		Febrile.
<input type="checkbox"/>		Bruises to the upper back.
<input checked="" type="checkbox"/>		Moderate vaginal bleeding.
<input type="checkbox"/>		Hypoxic.
<input type="checkbox"/>		Cigarette burns to arms.
<input type="checkbox"/>		Pinpoint pupils.
<input checked="" type="checkbox"/>		Bruises to left and right upper extremities.
<input type="checkbox"/>		Bradycardic.



Show Case Details

- Overview
- EHR
- History
- Physical
- Analyze
- Actions
- Nurse Notes
- Exercises

Analyze

Characterize Findings

Time spent: 58 sec

Score: 100%

The following is a summary of your performance in selecting time courses for the case's findings

- Correct time course
- Incorrect time course

Case's Finding	Case's Time Course	Graded	Your Time Course
Hx: Contractions started an hour ago	Acute	●	Acute
Hx: Intimate partner violence	Acute	●	Acute
EHR: Mild uterine contractions	Acute	●	Acute
EHR: Positive for cocaine use	Acute	●	Acute
EHR: Elevated coagulation studies	Acute	●	Acute
EHR: Abdominal pain 4/10	Acute	●	Acute
EHR: Back pain 4/10	Acute	●	Acute
EHR: Victim of violence	Acute	●	Acute
EHR: Preplacental abruption 20%	Acute	●	Acute
EHR: Preterm labor	Acute	●	Acute
Px: Bruises to left and right upper extremities	Acute	●	Acute
Hx: Abuse screening positive	Acute	●	Acute
Hx: Denied cocaine use	Acute	●	Acute
EHR: Moderate vaginal bleeding	Acute	●	Acute
Px: Abrasion and redness to abdomen	Acute	●	Acute
Hx: Back pain 8/10	Worsening	●	Worsening
Hx: Abdominal pain 6/10	Worsening	●	Worsening
Px: Heavy vaginal bleeding	Worsening	●	Worsening

Identify Client Problems

Time spent: 1 min 23 sec

Score: 0%

The following is a summary of your performance in selecting client problems for the case's findings

- Correct client problem
- Incorrect client problem

Prioritize Problems

Time spent: 1 min 18 sec

Report for Derlande Durosier on patient Jennifer Lee

Show Case Details

- Overview
- EHR
- History
- Physical
- Analyze
- Actions
- Nurse Notes
- Exercises

The following is a summary of your performance in selecting time courses for the case's findings

- Correct time course
- Incorrect time course

Identify Client Problems

Time spent: 1 min 23 sec

XXXXXXXXXXXXXXXXXXXX

Score: 0%

The following is a summary of your performance in selecting client problems for the case's findings

- Correct client problem
- Incorrect client problem

Case's Finding	Case's Time Course	Case's Client Problem	Graded	Your Client's Problem
Hx: Contractions started an hour ago	Acute	Sexuality/Reproduction	X	Mood/Cognition
Hx: Intimate partner violence	Acute	Psychosocial (Family Dynamics, Culture, Spirituality)	X	Immunity
EHR: Mild uterine contractions	Acute	Sexuality/Reproduction	X	Glucose/Hormonal Regulation
EHR: Positive for cocaine use	Acute	Maladaptive Behavior	X	Cellular Regulation
EHR: Elevated coagulation studies	Acute	Perfusion	X	Infection/Thermoregulation
EHR: Abdominal pain 4/10	Acute	Pain/Comfort	X	Elimination
EHR: Back pain 4/10	Acute	Pain/Comfort	X	Glucose/Hormonal Regulation
EHR: Victim of violence	Acute	Psychosocial (Family Dynamics, Culture, Spirituality)	X	Infection/Thermoregulation
EHR: Preplacental abruption 20%	Acute	Sexuality/Reproduction	X	Mood/Cognition
EHR: Preterm labor	Acute	Sexuality/Reproduction	X	Infection/Thermoregulation
Px: Bruises to left and right upper extremities	Acute	Tissue Integrity	X	Growth and Development/Lifespan
Hx: Abuse screening positive	Acute	Psychosocial (Family Dynamics, Culture, Spirituality)	X	Cellular Regulation
Hx: Denies cocaine use	Acute	Maladaptive Behavior	X	Functional Ability/Mobility
EHR: Moderate vaginal bleeding	Acute	Perfusion	X	Fluids and Electrolytes
Px: Abrasion and redness to abdomen	Acute	Tissue Integrity	X	Functional Ability/Mobility
Hx: Back pain 8/10	Worsening	Pain/Comfort	X	Immunity
Hx: Abdominal pain 6/10	Worsening	Pain/Comfort	X	Elimination
Px: Heavy vaginal bleeding	Worsening	Perfusion	X	Maladaptive Behavior

Prioritize Problems

Time spent: 1 min 18 sec

●●●●

Score: 100%

The following is a summary of your performance in selecting client problem priorities for the case's client problems

- Correct priority
- Incorrect priority
- Extraneous priority



Show Case Details

- [Overview](#)
- [EHR](#)
- [History](#)
- [Physical](#)
- Analyze
- [Actions](#)
- [Nurse Notes](#)
- [Exercises](#)

✖ Incorrect time course

☑ Identify Client Problems

Time spent: 1 min 23 sec  
Score: 0%

XXXXXXXXXXXXXXXXXXXXXXXX

The following is a summary of your performance in selecting client problems for the case's findings

- Correct client problem
- ✖ Incorrect client problem

☑ Prioritize Problems

Time spent: 1 min 18 sec  
Score: 100%

●●●●

The following is a summary of your performance in selecting client problem priorities for the case's client problems

- Correct priority
- ✖ Incorrect priority
- Extraneous priority

Case's Client Problem and Finding	Case's Priority	Graded	Your Priority
<b>Sexuality/Reproduction</b> EHR: Mild uterine contractions - Acute EHR: Preplacental abruption 20% - Acute EHR: Preterm labor - Acute Hx: Contractions started an hour ago - Acute	1	●	1
<b>Perfusion</b> EHR: Elevated coagulation studies - Acute EHR: Moderate vaginal bleeding - Acute Px: Heavy vaginal bleeding - Worsening	2	●	2
<b>Pain/Comfort</b> EHR: Abdominal pain 4/10 - Acute EHR: Back pain 4/10 - Acute Hx: Abdominal pain 6/10 - Worsening Hx: Back pain 8/10 - Worsening	3	●	3
<b>Psychosocial (Family Dynamics, Culture, Spirituality)</b> EHR: Victim of violence - Acute Hx: Abuse screening positive - Acute Hx: Intimate partner violence - Acute	4	●	4
<b>Tissue Integrity</b> Px: Bruises to left and right upper extremities - Acute Px: Abrasion and redness to abdomen - Acute			
<b>Maladaptive Behavior</b> EHR: Positive for cocaine use - Acute Hx: Denies cocaine use - Acute			



Show Case Details

- [Overview](#)
- [EHR](#)
- [History](#)
- [Physical](#)
- [Analyze](#)
- [Actions](#)
- [Nurse Notes](#)
- [Exercises](#)

Actions

Select Actions

Time spent: 4 min 54 sec ●●●●●●●●●●

Score: 100%

The following is a summary of your performance in selecting actions for the case's findings

- Actions that both you and the case selected
- ✘ Actions you should have selected
- Actions you selected but the case did not

<p><b>Pain/Comfort</b></p> <p>Hx: Abdominal pain 6/10</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Notify HCP for insufficient pain control.</li> </ul> <p>Hx: Back pain 8/10</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Notify HCP for insufficient pain control.</li> </ul>
<p><b>Perfusion</b></p> <p>EHR: Elevated coagulation studies</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Notify HCP for STAT/critical/abnormal lab values.</li> </ul> <p>EHR: Moderate vaginal bleeding</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Notify HCP for abnormal bleeding.</li> </ul> <p>Px: Heavy vaginal bleeding</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Notify HCP of increase in bleeding.</li> <li><span style="color: green;">●</span> Notify HCP of an emergent situation.</li> </ul>
<p><b>Psychosocial (Family Dynamics, Culture, Spirituality)</b></p> <p>Hx: Abuse screening positive</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Utilize therapeutic communication related to family stress or abuse.</li> <li><span style="color: green;">●</span> Notify HCP of signs and symptoms of physical and emotional abuse.</li> </ul>
<p><b>Sexuality/Reproduction</b></p> <p>EHR: Preplacental abruption 20%</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Educate about possible emergent situations during labor.</li> </ul> <p>Hx: Contractions started an hour ago</p> <ul style="list-style-type: none"> <li><span style="color: green;">●</span> Discuss physical activity limitations to minimize onset/progression of labor.</li> </ul>

Prioritize Actions

Time spent: 29 sec ●●●●●●●●●●

Score: STAT 100%  
Urgent 100%  
Routine 100%

The following is a summary of your performance in selecting action priorities relative to the case's selections

- Correct priority



Show Case Details

Overview

EHR

History

Physical

Analyze

**Actions**

Nurse Notes

Exercises

- Correct priority
- ✗ Incorrect priority

stat actions

Case Findings/Case Actions	Case's Priority	Graded	Your Priority
Perfusion			
Heavy vaginal bleeding			
Px: Notify HCP of an emergent situation.	stat	●	stat
Px: Notify HCP of increase in bleeding.	stat	●	stat
Elevated coagulation studies			
EHR: Notify HCP for STAT/critical/abnormal lab values.	stat	●	stat
Moderate vaginal bleeding			
EHR: Notify HCP for abnormal bleeding.	stat	●	stat
Pain/Comfort			
Back pain 8/10			
Hx: Notify HCP for insufficient pain control.	stat	●	stat
Abdominal pain 6/10			
Hx: Notify HCP for insufficient pain control.	stat	●	stat

urgent actions

Case Findings/Case Actions	Case's Priority	Graded	Your Priority
Psychosocial (Family Dynamics, Culture, Spirituality)			
Abuse screening positive			
Hx: Notify HCP of signs and symptoms of physical and emotional abuse.	urgent	●	urgent
Sexuality/Reproduction			
Contractions started an hour ago			
Hx: Discuss physical activity limitations to minimize onset/progression of labor.	urgent	●	urgent

routine actions

Case Findings/Case Actions	Case's Priority	Graded	Your Priority
Sexuality/Reproduction			
Preplacental abruption 20%			
EHR: Educate about possible emergent situations during labor.	routine	●	routine
Psychosocial (Family Dynamics, Culture, Spirituality)			
Abuse screening positive			
Hx: Utilize therapeutic communication related to family stress or abuse.	routine	●	routine



Report for Derlande Durosier on patient Jennifer Lee

Show Case Details

Overview	EHR	History	Physical	Analyze	Actions	Nurse Notes	Exercises
		<ul style="list-style-type: none"> <li>No</li> <li>If YES, who? (Circle all that apply) Husband Ex-Husband <b>Boyfriend</b> <b>Stranger</b> Other Multiple</li> <li>Total # of times: ____ Too many to count ____</li> </ul> <p>3. Since you've been pregnant, have you been slapped, kicked, or otherwise physically hurt by someone?</p> <ul style="list-style-type: none"> <li><b>Yes</b></li> <li>No</li> <li>If YES, who? (Circle all that apply) Husband Ex-Husband <b>Boyfriend</b> <b>Stranger</b> Other Multiple</li> <li><b>Note: Patient did not indicate areas of injury on a body map or disclose type of injuries</b></li> </ul> <p>4. Within the last year, has anyone forced you to have sexual activities?</p> <ul style="list-style-type: none"> <li><b>Yes</b></li> <li>No</li> <li>If YES, who? (Circle all that apply) Husband Ex-Husband <b>Boyfriend</b> <b>Stranger</b> Other Multiple</li> <li>Total # of times: ____ Too many to count ____</li> </ul> <p>5. Are you afraid of your partner or anyone listed above?</p> <ul style="list-style-type: none"> <li><b>Yes</b></li> <li>No</li> </ul>					
Exams	● Multiple choice	100%	1	Ms. Lee's boyfriend arrives in the emergency department demanding to see her. Which of the following is the best response?	<ul style="list-style-type: none"> <li>✓ "I understand you are concerned, but we are still assessing Ms. Lee. We will need you to wait in the waiting room."</li> </ul>	"I understand you are concerned, but we are still assessing Ms. Lee. We will need you to wait in the waiting room."	
Exams	● Multiple choice	100%	2	Ms. Lee is visibly distressed and tearful, expressing concerns about the well-being of her baby. Which response by the nurse demonstrates effective therapeutic communication?	<ul style="list-style-type: none"> <li>✓ "I understand that you're worried. Let's talk about what's happening and answer any questions you have."</li> </ul>	"I understand that you're worried. Let's talk about what's happening and answer any questions you have."	
Identify Client Problems	● Multiple choice	100%	1	When assessing Ms. Lee, she shares that she has not received any vaccines in several years. Why is this concerning?	<ul style="list-style-type: none"> <li>✓ Vaccines are essential to keep her and her baby safe from diseases.</li> </ul>	Vaccines are essential to keep her and her baby safe from diseases.	
Identify Client Problems	● Multiple choice	50%	2	You assess Ms. Lee's use of tobacco and substances. Which responses from Ms. Lee should you follow-up on? Select all that apply.	<ul style="list-style-type: none"> <li>✓ "The only substances I use are for pain."</li> <li>✗ "My boyfriend takes edibles every once in a while."</li> </ul>	<ul style="list-style-type: none"> <li>"The only substances I use are for pain."</li> <li>"I don't willingly take illicit drugs."</li> </ul>	
Prioritize Actions	✗ Multiple choice	0%	1	You are getting ready to discharge Ms. Lee and the provider has requested a consult to the local health department's maternal-infant health program. This program provides free home visit by a public health nurse (PHN) for pregnant women and infants on Medicaid. The PHN calls you for a report. What should be the priorities for the PHN to follow up on? Select all that apply.	<ul style="list-style-type: none"> <li>✗ Conduct a random drug screening</li> </ul>	<ul style="list-style-type: none"> <li>Assess if she has been a victim of any more violence,</li> <li>Discuss resources for victims of violence</li> </ul>	

## Report for Derlande Durosier on patient Jennifer Lee



### Hide Case Details

**Patient:** Jennifer Lee  
**Attempt start date:** 2025-11-27 Thu 08:45 GMT+3  
**Reason for Encounter:** Abdominal pain/vaginal bleeding.  
**Group name:** Chamberlain University - NR436 Oct 2025 - Community, Public, and Population Health Nursing RN  
**Assignment dates:** 2025-10-20 Mon 09:01 GMT+3 to 2025-12-21 Sun 08:59 GMT+3  
**User name:** Derlande Durosier  
[show more](#)

Overview	EHR	History	Physical	Analyze	Actions	Nurse Notes	Exercises	
		<b>Assessment &amp; Evaluation:</b> You will be evaluated using the rubric located within Canvas. Debriefing is in a separate discussion also in Canvas.						
Prework	●	Multiple choice	100%	2	A 26-year-old female who is 34 weeks pregnant arrives at the emergency department with a new onset of heavy vaginal bleeding, abdominal pain, and contractions. What are your primary concerns? Select all that apply.	✓ Blood pressure ✓ Amount of blood loss ✓ Last prenatal check-up ✓ Fetal heart rate	<ul style="list-style-type: none"> <li>Blood pressure,</li> <li>Amount of blood loss,</li> <li>Last prenatal check-up,</li> <li>Fetal heart rate</li> </ul>	
Prework	●	Multiple choice	100%	3	A pregnant client at 28 weeks of gestation presents to the healthcare provider's office for a routine prenatal visit. During the assessment, the nurse notices multiple bruises and abrasions on the client's arms and legs at various stages of healing. The client seems anxious and avoids eye contact when asked about the injuries. Which action should the nurse prioritize in this situation?	✓ Complete an Abuse Assessment Screen (AAS).	Complete an Abuse Assessment Screen (AAS).	
Prework	●	Multiple choice	100%	4	A pregnant client is seen in a prenatal clinic for a routine visit. During the assessment, the nurse identifies several social determinants of health that may impact the client's pregnancy outcome. Which factor should the nurse prioritize addressing?	✓ Unstable housing situation	Unstable housing situation	
Prework	●	Multiple choice	100%	5	A pregnant client in her third trimester presents to the emergency department with vaginal bleeding. On assessment, the nurse notes bright red bleeding with clots, lower abdominal pain, and a firm, tender uterus. Which condition should the nurse suspect as the cause of the bleeding?	✓ Abruptio placentae	Abruptio placentae	
Prework	⊗	Didactic	n.a.	6	<a href="#">Click here</a>			
EHR	⊗	Didactic	n.a.	1	Please play the video to the right to listen to a conversation between the nurse and the patient: [link to media disabled]			
EHR	⊗	Didactic	n.a.	2	The following are her answers to the Abuse Assessment Screening: <ol style="list-style-type: none"> <li>Have you ever been emotionally or physically abused by your partner or someone important to you?                             <ul style="list-style-type: none"> <li>Yes</li> <li>No</li> </ul> </li> <li>Within the last year, have you ever been hit, slapped, kicked, or otherwise physically hurt by someone?                             <ul style="list-style-type: none"> <li>Yes</li> <li>No</li> <li>If YES, who? (Circle all that apply) Husband Ex-Husband <b>Boyfriend</b> <b>Stranger</b> Other Multiple</li> <li>Total # of times: ____ Too many to count ____</li> </ul> </li> </ol>			